

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County <u>Gray</u>	Fraction <u>NW 1/4 NE 1/4 SE 1/4</u>	Section number <u>7</u>	Township number <u>T 26 S R 30 E/W</u>	Range number <u>30</u>
2. Distance and direction from nearest town or city: <u>3 1/2 S. and 3 E. of Pierceville</u> Street address of well location if in city:				3. Owner of well: <u>Clyde Priddle</u> R.R. or street: <u>1609 Coolidge St.</u> City, state, zip code: <u>Wichita, KS</u>		
4. Locate with "X" in section below:		Sketch map: <u>Well drilled 3-12-76</u>		6. Bore hole dia. <u>2 1/2</u> in. Completion date <u>3-17-76</u> Well depth <u>294</u> ft.		
				7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary		
5. Type and color of material		From	To	8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
<u>See attachment</u>				9. Casing: Material <u>Steel</u> Height: <u>Above</u> or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface <u>12</u> in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight <u>31</u> lbs./ft. Dia. <u>1 1/2</u> in. to <u>294</u> ft. depth Wall thickness: <u>inches</u> or Dia. <u>in.</u> to <u>ft.</u> depth gage No. <u>108</u>		
				10. Screen: Manufacturer's name <u>Brown</u> Type <u>Louvered</u> Dia. <u>1 1/2"</u> Slot/gauze <u>1/8"</u> Length <u>130'</u> Set between <u>160</u> ft. and <u>290</u> ft. <u>ft.</u> and <u>ft.</u> Gravel pack? <input checked="" type="checkbox"/> Yes Size range of material <u>1/4 x 1/8</u>		
				11. Static water level: <u>63</u> ft. below land surface Date <u>3-17-76</u> <u>mg./day/yr.</u>		
				12. Pumping level below land surfaces: <u>130</u> ft. after <u>2,000</u> hrs. pumping <u>g.p.m.</u> <u>ft.</u> after <u>hrs.</u> pumping <u>g.p.m.</u> Estimated maximum yield <u>g.p.m.</u>		
				13. Water sample submitted: <u>mo./day/yr.</u> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <u>mo./day/yr.</u>		
				14. Well head completion: <input type="checkbox"/> Pitless adapter <u>12</u> inches above grade		
				15. Well grouted? <input checked="" type="checkbox"/> Yes With: <input type="checkbox"/> Neat cement <input checked="" type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From <u>0</u> ft. to <u>10</u> ft.		
				16. Nearest source of possible contamination: <u>None</u> <u>observed</u> ft. Direction Type Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
				17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name Model number HP Volts Length of drop pipe <u>ft.</u> capacity <u>g.p.m.</u> Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
		(Use a second sheet if needed)				
18. Elevation:		19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. <u>Henkle Drilling & Supply 145</u> Business name License No. Address <u>Box 639, Garden City, KS</u> Signed <u>Henkle</u> Date <u>3-7-</u> Authorized representative		
Topography: <input checked="" type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley						

**SE 7-26-30
GRAY**

T 26 S 30 W E
Sec 07
1/4 NE SE
1/4 W 1/4

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

TEST#1
W.D. 296'

E.L.B.
CLYDE PRIDDLE
SE 1/4 - 7 - 26 - 30 - GRAY COUNTY

3-11-76
PLAIN
.188

296' - 290' .219
16" MILL SLOT 1/8 SLOT
6'

290' - 160' .188
16" BROWN 1/8" SLOT
130'

160' - 140' 16" JOHNSON SCREEN .100 SLOT
20'

140' - 0'

GRAVEL PAK
1/2 DOWN

156'

140'
PLAIN 140'
PERF. 156'
TOTAL 296'
294'



Hydro resources

Invoice Number 859171
 Invoice Date March 19, 2015
 Customer ID PRID0101
 Terms Net 30 Days
 Project MDC-R-08483
 PO Number
 Page 1 of 2
 Please remit payment to
 Hydro Resources - Mid Continent, Inc.
 PO Box 639
 Garden City, Kansas 67846
 TX: 806-948-4421 and KS: 620-277-2389
 Contractor's Licenses

Clyde Priddle Trust
 Tony Priddle
 2417 N Hazelwood
 Wichita, KS 67205

Please put invoice numbers on remittance

Manager James Morjan

E 1/2 7-26-30 GRAY

S/N 82-8-2074N
 OLD REGISTER READING: 083589
 NEW REGISTER READING: ZERO

	Current Qty	Unit of Measure	Rate	Current Amount
LABOR				
Flow Meter Repair	1.00	HR	75.00	75.00
Subtotal LABOR				75.00

	Current Qty	Unit of Measure	Rate	Current Amount
MATERIALS				
METER, BEARING ASSY A-LONG OV REBUILT B2100-82	1.00	EA	226.62	226.62
METER, CANOPY, ALUM R0710-20	1.00	EA	54.54	54.54
METER, COPPER TWIST SEAL WIRE, 15013-00	1.00	EA	0.50	0.50
METER, GASKET CANOPY, FLAT 10262-00	1.00	EA	0.61	0.61
METER, GASKET RD SADDLE 8 IN T0384-10	1.00	EA	8.91	8.91
METER, KEY DRIVE 316SS F/BEARING B0103-00	1.00	EA	2.09	2.09
METER, LABEL, FLOW 10052-14	1.00	EA	1.37	1.37
METER, O-RING, .62 X 1.125ID X 1.250OD F/BEARING 10110-10	2.00	EA	0.78	1.55
METER, O-RING, LARGE, 10180-00	1.00	EA	0.81	0.81
METER, REG R2108-1200, AF, 8 IN - REBUILT	1.00	EA	217.44	217.44
METER, SEAL, ALUM 15016-00	1.00	EA	0.74	0.74
METER, SILICA DRY PACK, 10015-00	1.00	EA	0.86	0.86
Subtotal MATERIALS				516.04

Continued on next page



Invoice Number 868882
 Invoice Date April 17, 2017
 Customer ID PRID0101
 Terms Net 30 Days
 Project MDC-R-11918
 PO Number
 Page 1 of 2
 Please remit payment to
 Hydro Resources - Mid Continent, Inc.
 PO Box 639
 Garden City, Kansas 67846
 TX: 806-948-4421 and KS: 620-277-2389
 Contractor's Licenses

Clyde Priddle Trust
 Tony Priddle
 2417 N Hazelwood
 Wichita, KS 67205

Please put invoice numbers on remittance

Manager Robert E Douglas

SE 7-26-30 GRAY

PUMP SET-275'
SWL-176'

	Current Qty	Unit of Measure	Rate	Current Amount
LABOR				
Machine Shop Labor	4.50	HR	60.00	270.00
Machine Shop Labor -F100, 4:3, S/N 94756	3.00	HR	60.00	180.00
Machine Shop Labor -repair 12M80, 6 stage bowl	1.00	HR	60.00	60.00
Machine Shop Labor -tear down/inspect bowl	1.00	HR	60.00	60.00
Turbine Crew (Misc-In Field)	1.00	HR	175.00	175.00
Turbine Crew (Misc-In Shop)	2.00	HR	100.00	200.00
Pull Lineshaft Pump 20' jnts	275.00	FT	4.25	1,168.75
Set Lineshaft Pump 20' jnts	275.00	FT	4.25	1,168.75
Travel	2.25	HR	175.00	393.75
Sand Bucket Well	0.50	HR	175.00	87.50
Subtotal LABOR				3,763.75

	Current Qty	Unit of Measure	Rate	Current Amount
MATERIALS				
BUSHING, BRONZE, 1 1/2 IN X 1 15/16 X 2 IN	1.00	EA	74.84	74.84
COUPLING, LINESHAFT, 1 1/2 IN, 10THD	1.00	EA	21.87	21.87
GASK, RED RUBBER, SM ROUND	1.00	EA	18.72	18.72
GASKETS, PACKING, BOLTS	1.00	LS	25.00	25.00
HEADNUT, 1 1/2 IN 10 TPI LH, STEEL	1.00	EA	74.36	74.36
HEADSHAFT, 1 1/2 IN X 87 3/4 IN	1.00	EA	375.37	375.37
OIL, 80W90, QUARTS, JT7, MYSTIK	7.00	QT	5.68	39.74
R78, FAN, 20HP, DERAN	1.00	EA	43.16	43.16
SEAL, OIL, 472636	1.00	EA	9.61	9.61
SPIDER, RUBBER, 2 1/2 IN X 8 IN	7.00	EA	7.49	52.45
T&S, 2 1/2" X 1 1/2" X 10' LH WOOD	1.00	JT	328.00	328.00

Continued on next page

Clyde Priddle Trust

Invoice Number 868882
Project MDC-R-11918
Page 2 of 2

T&S, 2 1/2" X 1 1/2" X 20' LH WOOD	13.00	JT	610.00	7,930.00
TUBE, STRETCH, 2 1/2 IN X 57 3/4 IN	1.00	EA	187.20	187.20
TUBE, STUB, 10" AMERICAN LHW.	1.00	EA	75.00	75.00
Subtotal MATERIALS				<u>9,255.32</u>
Invoice Total				<u>\$ 13,019.07</u>