

WATER WELL RECORD Form WWC-5

Division of Water Resources App. No.

11325


Well ID

Original Record  Correction  Change in Well Use

1 LOCATION OF WATER WELL: County: Gray Fraction SW 1/4 NE 1/4 SW 1/4 SW 1/4 Section Number 7 Township Number T 26 S Range Number R 30 E W

2 WELL OWNER: Last Name: Priddle Jr First: Clyde W. Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here: APPROX 7 MILES SOUTH EAST OF PIERCEVILLE KANSAS

3 LOCATE WELL WITH "X" IN SECTION BOX: N W E S



4 DEPTH OF COMPLETED WELL: 361 ft. Depth(s) Groundwater Encountered: 1) 191 ft. 2) ... ft. 3) ... ft. or 4) Dry Well WELL'S STATIC WATER LEVEL: 191 ft. below land surface, measured on (mo-day-yr) 3/14/2017 Pump test data: Well water was 227 ft. after 4 hours pumping 1003 gpm Well water was ... ft. after ... hours pumping ... gpm Estimated Yield: 1003 gpm Bore Hole Diameter: 24 in. to 361 ft. and ... in. to ... ft.

5 Latitude: 37.79704 (decimal degrees) Longitude: 100.64848 (decimal degrees) Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude: GPS (unit make/model: ... (WAAS enabled? Yes No) Land Survey Topographic Map Online Mapper: ...

6 Elevation: 2795 ft. Ground Level TOC Source: Land Survey GPS Topographic Map Other

7 WELL WATER TO BE USED AS: 1. Domestic: Household Lawn & Garden Livestock 2. Irrigation 3. Feedlot 4. Industrial 5. Public Water Supply: well ID 6. Dewatering: how many wells? 7. Aquifer Recharge: well ID 8. Monitoring: well ID 9. Environmental Remediation: well ID Air Sparge Soil Vapor Extraction Recovery Injection 10. Oil Field Water Supply: lease 11. Test Hole: well ID Cased Uncased Geotechnical 12. Geothermal: how many bores? a) Closed Loop Horizontal Vertical b) Open Loop Surface Discharge Inj. of Water 13. Other (specify):

Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted: Water well disinfected? Yes No

8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 16 in. to 361 ft., Diameter ... in. to ... ft., Diameter ... in. to ... ft. Casing height above land surface 12 in. Weight 36.95 lbs./ft. Wall thickness or gauge No. 219

TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel Fiberglass PVC Other (Specify) Brass Galvanized Steel Concrete tile None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE: Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify) Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)

SCREEN-PERFORATED INTERVALS: From 271 ft. to 341 ft., From ... ft. to ... ft., From ... ft. to ... ft. GRAVEL PACK INTERVALS: From 20 ft. to 361 ft., From ... ft. to ... ft., From ... ft. to ... ft.

9. GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From 0 ft. to 20 ft., From ... ft. to ... ft., From ... ft. to ... ft.

Nearest source of possible contamination: Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well Other (Specify)

Direction from well? Distance from well? ft.

Table with columns: FROM TO LITHOLOGIC LOG FROM TO LITHO. LOG (cont.) or PLUGGING INTERVALS

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) 3/11/2017 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 145 This Water Well Record was completed on (mo-day-year) 4/12/2017 under the business name of Hydro Resources Mid Continent, Inc.

## Casing/Screen/Gravel Schedule

March 6, 2017

WO# 11753

Clyde Priddle Jr.  
Wichita, KS  
SW 7-26-30 GY

Test Hole - #2 of 12/8/16

Drill 24" Hole

<u>Depth</u>		<u>16" Agri Screen</u>	<u>Slot Size</u>	<u>16" Casing (.219"w)</u>	<u>Cone</u>
361	360				1
360	341			19	
341	271	70	0.080"		
271	0			271	
	<b>Totals</b>	70		290	1
				<b>TOTAL</b>	<b>361</b>
360	Ft	1" PVC Water Level Measuring Pipe (Bottom 2 sections perforated)			
	8	Doubles and		0	Single
		And 1 Double Perforated			
220	Gal	Sodium Hypochlorite		(2 -110 Gal Totes)	
30	Ft	3" PVC Gravel Tube			
20	361	Huber - #1 Coarse		45	Tons - Approx 30% Excess
0	20	Bentonite Chips		60	Sacks

# Henkle

**DRILLING & SUPPLY**  
A Hydro Resources Company

Invoice Number 801707  
 Invoice Date August 31, 2006  
 PO Number  
 Contract  
 Job 003-06-0172-01  
 Page 1 of 2

Priddle Farms  
 Clyde Priddle Jr  
 2417 N Hazelwood  
 Wichita, KS 67205

Manager

SW 7-26-30 GRAY

WELL 215'  
 SWL 163'  
 PUMP SET 205'  
 5 STAGE BOWL  
 1-SUCTION SCREEN

	Current Qty	Unit of Measure	Rate	Current Amount
<b>Labor</b>				
Check well and pump before pulling.	1.00	LS	905.00	905.00
Change headshaft. Load materials.				
Pull turbine pump	205.00	FT	3.00	615.00
Set turbine pump	205.00	FT	3.00	615.00
Subtotal Labor				2,135.00
BEARING, LS, 2 1/2 IN X 1 1/2 IN, 10V	2.00	EA	28.73	57.46
BUSHING, COLUMN, RED, 10 3/4 X 8 5/8, 8V	1.00	EA	210.00	210.00
CHLORINE, LIQUID 9.2%	10.00	GL	3.65	36.50
CONE, 8" SUCTION SCREEN	1.00	EA	405.00	405.00
CONNECTOR, BRASS 68C, 1/4 IN X 1/8 IN	1.00	EA	1.50	1.50
COUPLER, COLUMN, PIPE, ST THD, 10 IN, 8V	1.00	EA	128.63	128.63
COUPLING LINESHAFT, 1 1/2 IN 10V	1.00	EA	17.07	17.07
FERRULE, BRASS 1/4 IN	2.00	EA	0.09	0.18
FLANGE GASKET, DISCHARGE, 10 IN	1.00	EA	5.69	5.69
GASK, RED RUBBER, LG SQUARE	1.00	EA	30.75	30.75
HEADSHAFT, 1 1/2 IN X 82 IN	1.00	EA	152.09	152.09
HEADSHAFT, 1 1/2" X 89 1/2"	1.00	EA	161.28	161.28
NUT, BRASS COMPRESSION 61C, 1/4 IN	1.00	EA	1.11	1.11
NUT, PACKING, 2 1/2 IN X 1 1/2 IN	1.00	EA	280.00	280.00
OIL, TURBINE DRIP, CATO BULK GAL	5.00	GL	5.38	26.90
PACKER, SOLID RUBBER, 10 3/4 X 16 X 5	1.00	EA	493.84	493.84
PACKER, STEEL PLATE (2 PER SET)	1.00	EA	100.00	100.00
PIPE, 8 X 20 X .250, COL BUTT	100.00	FT	26.00	2,600.00
SOLVENT, ALIPHATIC HYDROCARBON	1.00	GL	6.00	6.00
SPIDER, RUBBER, 2 1/2 IN X 10 IN	4.00	EA	19.67	78.68
SPIDER, RUBBER, 2 1/2 IN X 8 IN	2.00	EA	13.93	27.86
T&S, BRONZE, 2 1/2 IN X 1 1/2 IN X 10 FT	1.00	EA	214.20	214.20
T&S, BRONZE, 2 1/2 IN X 1 1/2 IN X 20 FT, J	12.00	EA	517.59	6,211.08

# Henkle

**DRILLING & SUPPLY**  
A Hydro Resources Company

Invoice Number 806657  
 Invoice Date August 31, 2007  
 PO Number  
 Contract  
 Job 003-07-1313-01  
 Page 1 of 2

Priddle Farms  
 Clyde Priddle Jr  
 2417 N Hazelwood  
 Wichita, KS 67205

Manager Kenneth R. Rauhut

SW 7-26-30 GRAY

	Current Qty	Unit of Measure	Rate	Current Amount
<b>Labor</b>				
Check pump and bring geardrive in for repair. Install new packing nut and loaner geardrive. Remove loaner and reinstall geardrive. Pull top end and 100' of pump, repair and reset. Repair geardrive. G125 5:4 S/N 94494	1.00	LS	2,087.50	2,087.50
	1.00	EA	300.00	300.00
<b>Subtotal Labor</b>				<b>2,387.50</b>
BUSHING, 1 1/2" X 1 3/4" X 2"	1.00	EA	14.40	14.40
CENTER PLUG, R87 R&D 80/125	1.00	EA	33.97	33.97
COUPLING LINESHAFT, 1 1/2 IN 10V	1.00	EA	15.56	15.56
FLANGE GASKET, DISCHARGE, 10 IN	1.00	EA	15.26	15.26
GASKET, INSP PLATE, RANDOLPH, G56, ALL	1.00	EA	2.27	2.27
GASKET, NOSE CONE, G95A, G100, G125	2.00	EA	4.05	8.10
GASKET, OIL GLASS, G53, RANDOLPH, ALL	1.00	EA	2.38	2.38
GASKET, SHIM, TBC, G125, G52-030	1.00	EA	4.19	4.19
GLASS, OIL SIGHT, RANDOLPH, R64	1.00	EA	1.94	1.94
HEADSHAFT, 1 1/2 IN X 82 IN	1.00	EA	228.14	228.14
NUT, HEADSHAFT, ADJ, 1 1/2 IN	1.00	EA	50.00	50.00
OIL TURBINE DRIP, CATO BULK GAL	5.00	GL	7.13	35.65
RACE, INNER, NR, RD, G100-125, R148	1.00	EA	158.91	158.91
RACE, OUTER, NR, R&D, 40/125, R145	1.00	EA	177.10	177.10
SCREW SET, 3/8 x 3/4, NO 82041	1.00	EA	0.48	0.48
SEAL, NATIONAL, 472636, OL/22441, CR	1.00	EA	12.98	12.98
SOLVENT, ALIPHATIC HYDROCARBON	0.50	GL	10.26	5.13
SPIDER, RUBBER, 2 1/2 IN X 10 IN	2.00	EA	9.75	19.50
SPR, CLUTCH, R & D, G200, X137560	1.00	EA	177.58	177.58
STAND PIPE, R98, R&D	1.00	EA	33.81	33.81
T&S, BRONZE, 2 1/2 IN X 1 1/2 IN X 20 FT, J	5.00	EA	545.00	2,725.00
<b>Invoice Total</b>				<b>6,109.85</b>



# Hydro

resources

Clyde Priddle Trust  
 Tony Priddle  
 2417 N Hazelwood  
 Wichita, KS 67205

Invoice Number 868943  
 Invoice Date May 01, 2017  
 Customer ID PRID0101  
 Terms Net 30 Days  
 Project MDC-R-11807  
 PO Number  
 Page 1 of 2  
 Please remit payment to  
 Hydro Resources - Mid Continent, Inc.  
 PO Box 639  
 Garden City, Kansas 67846  
 TX: 806-948-4421 and KS: 620-277-2389  
 Contractor's Licenses

Please put invoice numbers on remittance

Manager Robert E Douglas

SW 7-26-30 GRAY

	Current Qty	Unit of Measure	Rate	Current Amount
<b>LABOR</b>				
Machine Shop Labor	3.50	HR	60.00	210.00
Machine Shop Labor -tear down/inspect bowl	1.00	HR	60.00	60.00
Turbine Crew (Misc-In Shop)	2.00	HR	100.00	200.00
Pull Lineshaft Pump 20' jnts -from old well	205.00	FT	4.25	871.25
Set Lineshaft Pump 20' jnts -in new wel	345.00	FT	4.25	1,466.25
Travel	3.00	HR	175.00	525.00
Welding (In-Shop) - 1 man -cut out broken nipple	1.50	HR	65.00	97.50
Subtotal LABOR				3,430.00

	Current Qty	Unit of Measure	Rate	Current Amount
<b>MATERIALS</b>				
BASKET, NICHOLS, 8 X 16	1.00	EA	320.90	320.90
BOWL ASSEMBLY, SL12M, 7 STAGE	1.00	EA	8,670.00	8,670.00
BUSHING, OIL RECEIVER, 1 11/16" X 2" X 2"	1.00	EA	78.68	78.68
COUPLING, LINESHAFT, 1 11/16 IN, 10THD	1.00	EA	24.80	24.80
GASK, RED RUBBER, LG ROUND	1.00	EA	24.75	24.75
GASKETS, PACKING, BOLTS	1.00	LS	25.00	25.00
GEARDRIVE, S150, 4:3, S/N 107245	1.00	EA	3,500.00	3,500.00
HEADNUT, 1 11/16 IN 10 TPI LH, STEEL	1.00	EA	105.75	105.75
HEADSHAFT, 1 11/16 IN X 82 IN	1.00	EA	397.29	397.29
NIPPLE, 1 1/4" X 3" GALV	1.00	EA	2.33	2.33
PIPE, COLUMN, 8 IN X 20 FT, .250, BUTT	7.00	JT	500.00	3,500.00
SPIDER, RUBBER, 2 1/2 IN X 10 IN	4.00	EA	9.40	37.58
SPIDER, RUBBER, 2 1/2 IN X 8 IN	6.00	EA	7.49	44.96
T&S, 2 1/2 IN X 1 11/16 IN X 20 FT, NSJ	17.00	JT	625.00	10,625.00

Continued on next page

Invoice Number 868943  
Project MDC-R-11807  
Page 2 of 2

Clyde Priddle Trust

TUBE, STRETCH, 2 1/2 IN X 59 1/2 IN

1.00 EA 187.20 187.20

Subtotal MATERIALS

27,544.24

Invoice Total

\$ 30,974.24



# Hydro

resources

Invoice Number 891170  
 Invoice Date July 29, 2022  
 Customer ID SCHM1301  
 Terms Net 30 Days  
 Project MDC-R-24137  
 PO Number

Myron Schmidt  
 MS Farms  
 4903 O Rd  
 Ingalls, KS 678539230  
 United States

Page 1 of 1  
 Please remit payment to  
 Hydro Resources - Mid Continent, Inc.  
 PO Box 639  
 Garden City, Kansas 67846  
 TX:806-948-4421 KS:620-277-2389 NM:575-215-0050  
 Contractor's Licenses

**Please put invoice numbers on remittance**

Manager Robert E Douglas

SW 7-26-30 EY

	Current Qty	Unit of Measure	Rate	Current Amount
<b>LABOR</b>				
Travel	1.50	HR	175.00	262.50
Pick up Gear Head	0.25	HR	100.00	25.00
Set Gear Head	0.25	HT	100.00	25.00
Subtotal LABOR				312.50
<b>MATERIALS</b>				
FLANGE, 48" X 2 1/2" X 5/5" (USED)	1.00	EA	56.70	56.70
GEARDRIVE, RAN, G125, 4:3, S/N R2108009	1.00	EA	4,500.00	4,500.00
OILER, DRIPPER VALVE	1.00	EA	67.14	67.14
Subtotal MATERIALS				4,623.84
Invoice Total				\$ 4,936.34