Calvert Tract 2 Marion County, Kansas, 252 AC +/-





Boundary

PO Box 225, Burlington, KS 66839



The information contained herein was obtained from sources deemed to be reliable. Land idTM services makes no warranties or guarantees as to the completeness or accuracy thereof.

All Polygons 251.11 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CPI	NCCPI	CAP
8302	Verdigris silt loam, 0 to 1 percent slopes, occasionally flooded	129.1 9	51.45	0	85	2w
4020	Chase silty clay loam, occasionally flooded	105.3 8	41.96	0	67	2w
8300	Verdigris silt loam, channeled, 0 to 2 percent slopes, frequently flooded	12.75	5.08	0	46	5w
4590	Clime-Sogn complex, 3 to 20 percent slopes		1.51	0	32	6e
TOTALS		251.1 1(*)	100%	-	74.66	2.21

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

| Boundary 247.59 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CPI	NCCPI	CAP
8302	Verdigris silt loam, 0 to 1 percent slopes, occasionally flooded	129.1 9	52.18	0	85	2w
4020	Chase silty clay loam, occasionally flooded	105.3 4	42.55	0	67	2w
8300	Verdigris silt loam, channeled, 0 to 2 percent slopes, frequently flooded	12.75	5.15	0	46	5w
4590	Clime-Sogn complex, 3 to 20 percent slopes		0.13	0	32	6e
TOTALS		247.5 9(*)	100%	-	75.27	2.16

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Boundary 3.52 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CPI	NCCPI	CAP
4590	Clime-Sogn complex, 3 to 20 percent slopes	3.48	98.58	0	32	6e
4020	Chase silty clay loam, occasionally flooded	0.04	1.13	0	67	2w
TOTALS		3.52(*)	100%	-	32.31	5.95

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability								
	1	2	3	4	5	6	7	8
'Wild Life'	٠	٠	٠	٠	٠	٠	٠	٠
Forestry	٠	٠	٠	٠	٠	٠	٠	
Limited	٠	•	٠	•	٠	٠	٠	
Moderate	٠	٠	٠	•	٠	٠		
Intense	٠	•	•	•	٠			
Limited	٠	٠	٠	٠				
Moderate	٠	•	•					
Intense	٠	٠						
Very Intense	٠							

Grazing Cultivation

(c) climatic limitations (e) susceptibility to erosion

(s) soil limitations within the rooting zone (w) excess of water